

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,788,912 B2
APPLICATION NO. : 10/687601
DATED : September 7, 2004
INVENTOR(S) : Tetsuo Isomura et al.

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE:

IN THE ABSTRACT. ITEM (57):

Line 13, "it" should read --its--.

IN THE DRAWINGS:

On Sheet 11, Figure 12, "301e" should read --301e--.

COLUMN 1:

Line 39, "that" should read --there--; and "are" should read --is--.

COLUMN 2:

Line 4, "are disposed" should be deleted;
Line 6, "involved" should read --involve--;
Line 12, "easiness" should read --ease--;
Line 16, "easiness" should read --ease--;
Line 21, "effects" should read --effect--; and
Line 28, "officer" should read --object--.

COLUMN 3:

Line 16, "same" should read --same--; and
Line 24, "FIG. 11(d) a" should read --FIG. 11(d) is a--.

COLUMN 4:

Line 12, "110:" should read --110,--; and "a" (second occurrence) should be deleted;

Line 27, "sion" should read --sal--;
Line 30, "reversion" should read --reversal--; and
Line 34, "reversion" should read --reversal--.

COLUMN 5:

Line 53, "resin material" should be deleted; and
Line 59, "supply" (second occurrence) should read --supplying--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,788,912 B2
APPLICATION NO. : 10/687601
DATED : September 7, 2004
INVENTOR(S) : Tetsuo Isomura et al.

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 6:

Line 35, "the common of" should be deleted;
Line 44, "position" should read --positioned--; and
Line 62, "and boss 301k, 301L" should be deleted.

COLUMN 7:

Line 6, "resin material" should be deleted;
Line 19, "blades." should read --blade.--; and
Line 26, "comprises" should read --comprise--.

COLUMN 9:

Line 25, "Nylon," should read --nylon,--.

COLUMN 10:

Line 10, "members" should read --member--;
Line 30, "arm" should read --arms--;
Line 55, "it has" should read --they have--; and "width 305b L5" should read --width 305bL5--;
Line 59, "thickness 305b L4" should read --thickness 305bL4--; and
Line 62, "two" should read --two pairs--.

COLUMN 11:

Line 29, "jection" should read --jections--; and "portion" should read --portions--;
Line 40, "a" (first occurrence) should read --α--; and
Line 60, "portion" should read --portions--.

COLUMN 12:

Line 20, "axix" should read --axis--;
Line 51, "50 μm-500 μm-500 μm," should read --50 μm-500 μm,--; and
Line 63, "method is" should read --methods are--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,788,912 B2
APPLICATION NO. : 10/687601
DATED : September 7, 2004
INVENTOR(S) : Tetsuo Isomura et al.

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 13:

Line 4, "Kaisha" should read --Kaisha)--;
Line 7, "has" should read --have--;
Line 15, "L1=L3=approx." should read --L1=L3=approx.--; and
Line 46, "relatively" should read --relative--.

COLUMN 14:

Line 39, "it has" should read --they have--;
Line 46, "two" should read --two pairs--;
Line 47, "arm" should read --arms--;
Line 49, "arm" should read --arms--;
Line 59, "39:4 mm" should read --39.4 mm--; and
Line 66, "portion" should read --portions--.

COLUMN 15:

Line 11, "jection" should read --jections--; and "portion" should read --portions--;
Line 33, "portion" should read --portions--; and
Line 59, "Kaisha" should read --Kaisha)--.

COLUMN 16:

Line 51, "portion 335" should read --portion 335a--; and "an" should be deleted;
Line 52, "portion 335" should read --portion 335a--; and "an" should be deleted; and
Line 67, "portion 325a" should read --portion 335a--; and "arms 325b." should read --arms 335b.--.

COLUMN 17:

Line 3, "it has" should read --they have--;
Line 9, "two" should read --two pairs--; and
Line 37, "jection" should read --jections--; and "portion" should read --portions--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,788,912 B2
APPLICATION NO. : 10/687601
DATED : September 7, 2004
INVENTOR(S) : Tetsuo Isomura et al.

Page 4 of 4


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 18:

Line 4, "Kaisha" should read --Kaisha)--.

Signed and Sealed this

Tenth Day of April, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looping initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office